

SECTION V**PHYSICAL HAZARDS (REACTIVITY DATA)**

STABILITY:	Stable: Yes	Unstable:
CONDITIONS TO AVOID:	N/ A	
INCOMPATIBILITY, MATERIALS TO AVOID:	Avoid mixing with strong acids or oxidizing agents.	
HAZARDOUS DECOMPOSITION	Toxic fumes may evolve during extreme heat, as under fire conditions.	
PRODUCTS:	None	
HAZARDOUS POLYMERIZATION:		
MAY OCCUR:	WILL NOT OCCUR: X	

SECTION VI**HEALTH HAZARDS**

- A. EXPOSURE LIMITS:**
1. OSHA Permissible Exposure Limit (PEL): None Established
 2. Threshold Limit Value (TLV): None Established
 3. (LD₅₀): Not established, homologues have LD50's of 12 g/ Kg (rats)
- B. CARCINOGEN OR POTENTIAL CARCINOGEN:**
1. NPT: No
 2. IARC: No
 3. OSHA: No
- C. EFFECTS OF OVEREXPOSURE:**
- D. EMERGENCY FIRST AID PROCEDURES:**
- EYES:** IMMEDIATELY flush eyes with a directed stream of water for at least 15 minutes forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. GET MEDICAL ATTENTION.
- SKIN:** Wash thoroughly with soap and water. Wash clothing before reuse. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.
- INHALATION:** If symptoms develop, get person out of contaminated area to fresh air.
- INGESTION:** NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have patient drink several glasses of water, then induce vomiting by having patient tickle back of throat with finger. Keep airways clear. GET MEDICAL ATTENTION IMMEDIATELY.
- E. ANIMAL TOXICITY DATA:**Not completed

SECTION VII**SPECIAL PRECAUTIONS & SPILL/ LEAK PROCEDURES**

- HANDLING AND STORAGE:**Normal warehouse storage for non- bulk packaging is satisfactory. For bulk storage, use tanks made of HDPE, carbon steel or stainless steel. Avoid aluminum, copper or brass in tanks, lines or pumps. Product will freeze below 32°F.
- STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED:** Collect and contain for salvage or disposal. Absorb waste on inert media and dispose of as solid waste.
- WASTE DISPOSAL METHODS:** Dispose of in compliance with all federal, state and local laws concerning health and environment.

SECTION VIII**SPECIAL PROTECTION / CONTROL MEASURES**

- RESPIRATORY PROTECTION:** As required by conditions. Use an OSHA or NIOSH approved respirator if required.
- VENTILATION:** General ventilation is usually adequate.
- LOCAL EXHAUST:** Local exhaust should be used if needed for safe, comfortable working conditions.

SECTION IX**ENVIRONMENTAL EFFECTS DATA**

This product has not been tested for environmental effects. If discharged into the marine environment it may be toxic to fish or other marine organisms, and due to its nutrient value may contribute to eutrophication in bodies of water. The available data on the raw materials does not indicate an undue hazard to the environment under anticipated conditions of storage and use.

SECTION X**TRANSPORTATION DATA**

PROPER SHIPPING NAME: Not Applicable

DOT HAZARD CLASS: Not regulated by DOT.

PLACARD: N/ A

Stoller Enterprises, Inc., believes the information contained in this material safety data sheet is accurate based on the information supplied by reputable suppliers of our raw materials. The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.